

# Run Report

Test Results Provided By



Test Name: 506094-J08/22089038 REV 000  
Station ID: PSC-VA1

Operator: Line Supervisor  
Lot ID: 1016  
Run Number: 2  
Current Date: 3/9/2016

## Run Details

\*Double click on a result below to view the Test Report\*

#	Device ID	Final Result	Retries	Details	Date	Time
1		Passed	0	0	3/9/2016	10:21:42 AM
2		Passed	0	0	3/9/2016	10:22:09 AM
3		Passed	0	0	3/9/2016	10:22:26 AM
4		Passed	0	0	3/9/2016	10:22:41 AM
5		Passed	0	0	3/9/2016	10:22:59 AM
6		Passed	0	0	3/9/2016	10:23:22 AM
7		Passed	0	0	3/9/2016	10:23:46 AM
8		Failed	0	2	3/9/2016	10:24:27 AM
9		Passed	0	0	3/9/2016	10:24:42 AM
10		Passed	0	0	3/9/2016	10:24:58 AM
11		Passed	0	0	3/9/2016	10:26:19 AM
12		Passed	0	0	3/9/2016	10:26:33 AM
13		Passed	0	0	3/9/2016	10:26:45 AM
14		Passed	0	0	3/9/2016	10:26:57 AM
15		Passed	0	0	3/9/2016	10:27:22 AM
16		Passed	0	0	3/9/2016	10:27:37 AM
17		Passed	0	0	3/9/2016	10:27:51 AM
18		Passed	0	0	3/9/2016	10:28:04 AM
19		Passed	0	0	3/9/2016	10:28:18 AM
20		Passed	0	0	3/9/2016	10:28:33 AM
21		Passed	0	0	3/9/2016	10:28:47 AM
22		Passed	0	0	3/9/2016	10:28:59 AM
23		Passed	0	0	3/9/2016	10:29:10 AM
24		Passed	0	0	3/9/2016	10:29:34 AM
25		Passed	0	0	3/9/2016	10:29:50 AM
26		Passed	0	0	3/9/2016	10:30:03 AM
27		Passed	0	0	3/9/2016	10:30:21 AM
28		Passed	0	0	3/9/2016	10:30:32 AM
29		Passed	0	0	3/9/2016	10:30:55 AM
30		Passed	0	0	3/9/2016	10:31:09 AM
31		Passed	0	0	3/9/2016	10:31:23 AM
32		Passed	0	0	3/9/2016	10:31:39 AM
33		Passed	0	0	3/9/2016	10:31:53 AM
34		Passed	0	0	3/9/2016	10:32:10 AM
35		Passed	0	0	3/9/2016	10:32:23 AM
36		Passed	0	0	3/9/2016	10:32:44 AM
37		Passed	0	0	3/9/2016	10:32:57 AM
38		Passed	0	0	3/9/2016	10:34:06 AM
39		Passed	0	0	3/9/2016	10:34:50 AM
40		Passed	0	0	3/9/2016	10:35:06 AM
41		Passed	0	0	3/9/2016	10:35:26 AM
42		Passed	0	0	3/9/2016	10:35:39 AM
43		Passed	0	0	3/9/2016	10:35:52 AM
44		Passed	0	0	3/9/2016	10:36:05 AM
45		Passed	0	0	3/9/2016	10:36:24 AM
46		Failed	0	2	3/9/2016	10:36:31 AM
47		Passed	0	0	3/9/2016	10:36:45 AM

## Summary

Total Tested: 47

Total Good: 45

Total Bad: 2

Percent Good: 96 %